Product name: CK5, Air FreshenerVersion 1.0...MSDS Number: SDSCK5001Print date: 25-Jan-2016



1.	PRODUCT AND COMPANY INDENTIFICATION						
	Product information						
	Trade name Use of the product		: Clean Kraft 5				
			: Air Freshener				
	Company		: Innochem Labs (India) Private Limited				
	/		Plot A 15, Road no. 9, IDA Nacharam,				
			Hyderabad, Telangana 50				
	Emergency telephone	2	: 91-40-65551717, 91-7032				
2.	HAZARDS IDENTIFICATION						
	<b>Emergency Overview</b>	,					
	Appearance/Odor		: White to light yellow/ Lem	ion			
	Potential Health Effe	cts					
	Eyes		: Wash immediately with lot	s of water and seek medical			
	help						
	Skin		: If irritation persists wash w	ith water and seek medical hel			
	Ingestion		:S46 If swallowed, seek med	lical advice immediately and			
	show						
			this container or label				
	Safety		this container or label :Keep out of the reach of ch	ildren			
3.	·		:Keep out of the reach of ch	ildren			
3.	Aggravated Medical C	RMATION	:Keep out of the reach of ch				
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nar	RMATION	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS	ildren Weight % <5%			
3.	Aggravated Medical C	RMATION	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture	Weight %			
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives	RMATION	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6	Weight % <5% <5 <0.05			
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla	RMATION ne	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture	Weight % <5% <5			
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac	RMATION ne	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture	Weight % <5% <5 <0.05			
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla	RMATION ne	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture	Weight % <5% <5 <0.05			
3.	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac	RMATION ne assified cording	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture	Weight % <5% <5 <0.05			
	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac to NOHSC FIRST AIDS AND MEA	RMATION ne assified cording	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture 2634-33-5/2682-20-4	Weight %           <5%			
	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac to NOHSC	RMATION ne assified cording SURES Wash ey	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture 2634-33-5/2682-20-4 yes with a large amount of wat	Weight %           <5%			
	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac to NOHSC FIRST AIDS AND MEA	RMATION ne assified cording SURES Wash ey persists,	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture 2634-33-5/2682-20-4 yes with a large amount of wat contact a doctor.	Weight % <5% <5 <0.05 to 100			
	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac to NOHSC FIRST AIDS AND MEA	RMATION ne assified cording SURES Wash ey persists, Wash of	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture 2634-33-5/2682-20-4 yes with a large amount of wat	Weight % <5% <5 <0.05 to 100			
	Aggravated Medical C COMPOSITION/INFO Chemical Nan Propylene Glycol Perfume Preservatives Other ingredients cla as not hazardous ac to NOHSC FIRST AIDS AND MEA	RMATION ne assified cording SURES Wash ey persists, Wash of persists, Remove	:Keep out of the reach of ch : Seek medical advice ON INGREDIENTS CAS-No. 57-55-6 Mixture 2634-33-5/2682-20-4 yes with a large amount of wat contact a doctor. If skin with water and soap. If i	Weight %         <5%			

Product name: CK5, Air FreshenerVersion 1.0...MSDS Number: SDSCK5001Print date: 25-Jan-2016



			Centre Info	Jimation.		
Advice to Doctor	Treat sym	ptomatica	ally.			
Advice to doctor: Trea	it symntoma	tically				
5. FIRE-FIGHTING MEA		cicaliy.				
Suitable extinguishin	-	: NA				
Specific hazards duri Flammability	ng firefightir	-	e Unknown Flammable			
Hazchem code			e allocated			
		. None				
6. ACCIDENTAL RELEAS	SE MEASURE	S				
Emergency and Evacuatio	n Procedures		adequate v Iral waterwa		Do not let	product enter drair
Minor Spills		: Mopu	up spill and	wash area	with deterg	gent and water.
Major Spills			n spill. Coll		ct using a s	uitable
requirements. Storage :	dry and well-	ventilated	place	C. Keep co	ontainer tig	htly closed in a
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards:	Keep at temp dry and well- LS/PERSONA Exposure st	ventilated AL PROTE	place CTION			
requirements. Storage : <b>8. EXPOSURE CONTRO</b> Exposure standards: Occupational and ex	Keep at temp dry and well- LS/PERSONA Exposure st Cposure limit	ventilated AL PROTE andards I ts	place CTION have been :	set for fol	lowing ingr	edients
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient	Keep at temp dry and well- LS/PERSONA Exposure st Cposure limit	ventilated AL PROTE andards I ts T	place CTION have been : WA	set for foll	lowing ingr	edients Carcinogen
requirements. Storage : <b>8. EXPOSURE CONTRO</b> Exposure standards: Occupational and ex	Keep at temp dry and well- LS/PERSONA Exposure st Cposure limit	ventilated AL PROTE andards I ts	place CTION have been :	set for fol	lowing ingr	edients
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted	Keep at temp dry and well- LS/PERSONA E Exposure st cposure limit name	ventilated AL PROTE andards I ts T	place CTION have been : WA	set for foll	lowing ingr	edients Carcinogen
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp	Keep at temp dry and well- LS/PERSONA Exposure st cposure limit d Average posure Limit	ventilated AL PROTE andards I ts ppm	place CTION have been : WA mg/m <sup>3</sup>	set for foll S ppm	owing ingr TEL mg/m <sup>3</sup>	edients Carcinogen Notes Category
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst	Keep at temp dry and well- LS/PERSONA Exposure st cposure limit d Average posure Limit	ventilated AL PROTE andards I ts ppm	place CTION have been : WA mg/m <sup>3</sup>	set for foll S ppm	owing ingr TEL mg/m <sup>3</sup>	edients Carcinogen Notes Category
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical.	Keep at temp dry and well- LS/PERSONA E Exposure st cposure limit name d Average bosure Limit tracts Service	ventilated AL PROTE andards I s T ppm	place CTION have been a WA mg/m <sup>3</sup> . A unique	set for foll S ppm numberin	lowing ingr TEL g identifier	edients Carcinogen Notes Category
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst	Keep at temp dry and well- LS/PERSONA E Exposure st cposure limit name d Average bosure Limit tracts Service	ventilated AL PROTE andards I s T ppm	place CTION have been a WA mg/m <sup>3</sup> . A unique	set for foll S ppm numberin	lowing ingr TEL g identifier	edients Carcinogen Notes Category r is assigned to ea
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical. PPM: Parts of vapou Engineering control	Keep at temp dry and well- LS/PERSONA Exposure st cposure limit t name d Average posure Limit tracts Service r or gas per r	ventilated AL PROTE andards I ts T ppm e Registry million of	place CTION have been = WA mg/m <sup>3</sup> . A unique contamina	set for foll <b>ppm</b> numberin ted air by	owing ingr TEL g identifier volume at	edients Carcinogen Notes Category is assigned to ea 25°C and 760 torr
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical. PPM: Parts of vapou Engineering control exposure standards.	Keep at temp dry and well- LS/PERSONA Exposure st posure limit a name d Average posure Limit tracts Service r or gas per r ls: Use in v	ventilated AL PROTE andards I s ppm e Registry million of vell vent	place CTION have been a WA mg/m <sup>3</sup> . A unique contamina ilated area	set for foll <b>ppm</b> numberin ted air by as. Maint	lowing ingr TEL g identifier volume at ain air co	edients Carcinogen Notes Category is assigned to ea 25°C and 760 torr ncentrations belo
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical. PPM: Parts of vapou Engineering control exposure standards. Personal protectior	Keep at temp dry and well- LS/PERSONA Exposure st posure limit t name d Average posure Limit tracts Service r or gas per r ls: Use in v h: When ha	ventilated AL PROTE andards I ts T ppm e Registry million of vell vent	place CTION have been WA mg/m <sup>3</sup> . A unique contamina ilated area ulk mater	set for foll <b>ppm</b> numberin ted air by as. Maint	lowing ingr TEL g identifier volume at ain air co ble safety	edients Carcinogen Notes Category is assigned to ea 25°C and 760 torr ncentrations belo glasses, protection
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical. PPM: Parts of vapou Engineering control exposure standards. Personal protectior clothing and imper-	Keep at temp dry and well- LS/PERSONA Exposure st cposure limit t name d Average bosure Limit tracts Service r or gas per r ls: Use in v n: When ha vious gloves	ventilated AL PROTE andards I ts T ppm e Registry million of vell vent	place CTION have been WA mg/m <sup>3</sup> . A unique contamina ilated area ulk mater	set for foll <b>ppm</b> numberin ted air by as. Maint	lowing ingr TEL g identifier volume at ain air co ble safety	edients Carcinogen Notes Category is assigned to ea 25°C and 760 torr ncentrations belo glasses, protection
requirements. Storage : 8. EXPOSURE CONTRO Exposure standards: Occupational and ex Product/ingredient (CAS No.) TWA: Time Weighted STEL: Short Term Exp CAS#, Chemical Abst individual chemical. PPM: Parts of vapou Engineering control exposure standards. Personal protectior	Keep at temp dry and well-v LS/PERSONA E Exposure st cposure limit t name d Average posure Limit tracts Service r or gas per r ls: Use in v n: When ha vious gloves worn.	ventilated AL PROTE andards H s ppm e Registry million of vell vent undling b should	place CTION have been a WA mg/m <sup>3</sup> A unique contamina ilated area ulk mater be worn.	set for foll <b>ppm</b> numberin ted air by as. Maint al, suitat if ventilat	lowing ingr TEL mg/m <sup>3</sup> g identifien volume at ain air co ble safety cion is insu	edients Carcinogen Notes Category r is assigned to ea 25°C and 760 torr ncentrations belo glasses, protection ufficient, a suitab

Innochem Labs (India) Pvt. Ltd, Plot no. A 15, Road no. 9, IDA Nacharam, Ranga Reddy District, Telangana 500 076. Tel: 91-40-65551717, Website: www.innochem.co.in, Email: info@innochem.co.in

Product name: CK5, Air FreshenerVersion 1.0MSDS Number: SDSCK5001Print date: 25-Jan-2016



Form	: Liquid
Color	: Clear colorless liquid
Odor	: According to fragrance
На	: 7.0 - 9.0 (100%) at 20°C
Melting point	: NA
Boiling point	: 105 Deg C
Freezing point	: NA
Flash point	: 57°C / 135°F- ISO 3680
Evaporation rate	: NA
Water solubility	: Miscible
Viscosity, dynamic	:NA
<b>10. STABILITY AND REACTIVITY</b>	
Stability	: Stable under normal conditions
Materials to avoid	: Strong sunlight for prolonged periods.
Hazardous decomposition products	: Oxides of carbon and unknown organic compounds
Hazardous reactions	: None Known
11. TOXICOLOGICAL INFORMAT	ION
Acute oral toxicity	: May cause irritation to the upper gastrointestinal tract.
Acute inhalation toxicity	: No effects likely to occur.
Acute dermal toxicity	: May cause irritation to the skin with prolonged/repeated
contact.	
Eye	: May cause irritation to the eye
12. ECOLOGICAL INFORMATION	I
Ecotoxicity effects	: Based on component ecotoxicity data the product is not environmental hazard
13. DISPOSAL CONSIDERATIONS	S
Disposal Method: Product	should be treated according to the instructions given under
sections	6, 7 and 8 above. Dispose of according to Local, State and
Federal	regulations. Contact relevant authority for details
14. TRANSPORT INFORMATION	
	ansportation
UN Number	None allocated
Proper Shipping Name	None allocated
DG Class	Not a DG
Subsidiary risk	None allocated None
	allocated Not applicable

Product name : CK5, Air Freshener Version 1.0

MSDS Number : SDSCK5001 Print date : 25-Jan-2016



	None allocated	
Packing group	None allocated	
Special Provisions	None allocated	
Hazchem Code	Not a DG	
Maritime Transpo	rt Regulations (IMDG)	
UN Number	None allocated	
Proper Shipping Name	None allocated	
DG Class	Not a DG	
Subsidiary risk	None Allocated	
Packing group	None allocated	
Marine Pollutant	Not a Marine pollutant	
Air Transport Reg	ulations (IATA)	
UN Number	None allocated	
Proper Shipping Name	None allocated	
DG Class	Not a DG	
Subsidiary risk	None Allocated	
Packing group	None allocated	
Risk Phrase(s) Safety Phrase(s)		e reach of children S46 If edical advice immediately and
	: None : S2 Keep out of the	edical advice immediately and
Safety Phrase(s)	: None : S2 Keep out of the swallowed, seek m	edical advice immediately and
Safety Phrase(s)	: None : S2 Keep out of the swallowed, seek m show this container	edical advice immediately and
Safety Phrase(s) L6. OTHER INFORMATION India: Regulatory, Safety & Enviro	: None : S2 Keep out of the swallowed, seek m show this container	edical advice immediately and
Safety Phrase(s)	: None : S2 Keep out of the swallowed, seek m show this container	edical advice immediately and
Safety Phrase(s) L6. OTHER INFORMATION India: Regulatory, Safety & Enviro	: None : S2 Keep out of the swallowed, seek m show this container	edical advice immediately and or label
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in th nformation available to Innochem Labs. The	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t	edical advice immediately and or label
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in th nformation available to Innochem Labs. The mplied regarding its correctness or accu	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t information is provided with uracy. Similarly no warranty e	edical advice immediately and or label he latest and most reliable out any warranty, expressed or xpressed or implied regarding the
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in th nformation available to Innochem Labs. The mplied regarding its correctness or accu- product described herein shall b	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t information is provided with uracy. Similarly no warranty en e created by or inferred from	edical advice immediately and or label he latest and most reliable out any warranty, expressed or xpressed or implied regarding the any statement or omission from
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in th nformation available to Innochem Labs. The mplied regarding its correctness or accu- product described herein shall b chis MSDS nor will Innochem Lab	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t information is provided with uracy. Similarly no warranty en- be created by or inferred from os assume any liability for any	edical advice immediately and or label he latest and most reliable out any warranty, expressed or xpressed or implied regarding the any statement or omission from closs or damage arising out of the
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in the nformation available to Innochem Labs. The mplied regarding its correctness or accu- product described herein shall b this MSDS nor will Innochem Lab- use of this information. It is sole	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t information is provided with aracy. Similarly no warranty en e created by or inferred from os assume any liability for any ly the responsibility of the use	edical advice immediately and or label he latest and most reliable out any warranty, expressed or xpressed or implied regarding the any statement or omission from loss or damage arising out of the er to determine safe conditions fo
Safety Phrase(s) I.6. OTHER INFORMATION India: Regulatory, Safety & Enviro Within India Ph: 91-40-6555171 The information contained in the nformation available to Innochem Labs. The mplied regarding its correctness or accu- product described herein shall b this MSDS nor will Innochem Lab- use of this information. It is sole	: None : S2 Keep out of the swallowed, seek m show this container onmental Services 7, 91-9014701764 is MSDS was compiled using t information is provided with uracy. Similarly no warranty ex e created by or inferred from os assume any liability for any ly the responsibility of the usine liability for any loss, damage	edical advice immediately and or label he latest and most reliable out any warranty, expressed or xpressed or implied regarding the any statement or omission from closs or damage arising out of the

KEY/LEGEND

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail DG = Dangerous Goods

Product name: CK5, Air FreshenerVersion 1.0MSDS NumberPrint date: 25-Jan-2016



IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods NOHSC = National Occupational Health and Safety Commission (Australia) Further information This document has been prepared using data from sources considered to be technically

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Provincial and Local laws and regulations